1. A method of the production of a packing material for liquid chromatography which comprises chemically modifying silica gel with a bifunctional silane compound represented by the general formula [I]:

$$\begin{array}{ccc}
R^1 \\
\downarrow \\
R^1 - Si - X^1 \\
\downarrow \\
X^2
\end{array}$$
[I]

[wherein, X^1 and X^2 , the same or different, represent a hydrogen atom, a halogen atom or an alkoxy group having 1 to 4 carbon atoms; and R^1 represents an alkyl group or an aryl group which can have substituent(s)], and

carrying out an endcapping reaction of the resulting chemically modified silica gel using bifunctional cyclic silazane represented by the general formula [II]:

[wherein, R^2 and R^3 , the same or different, represent an alkyl group having 1 to 4 carbon atoms; and n represents a value indicating unit number that forms the ring, which is an integer

of 2 to 10].

- 2. The method of the production of a packing material for liquid chromatography according to claim 1 wherein the alkyl group represented by R¹ in the general formula [I] has an aryl group, an amino group, a cyano group or a nitro group at the end thereof, or has an amide group, a carbamate group, a carbamide group, an ester group or a carbonate group at a site other than the end thereof.
- 3. The method of the production of a packing material for liquid chromatography according to claim 1 or 2 wherein bifunctional cyclic silazane represented by the general formula [II] and a bifunctional silane compound represented by the general formula [III]:

$$\begin{array}{ccc}
R^4 \\
| & \\
R^5 - Si - X^3 \\
| & \\
X^4
\end{array}$$
 [III]

[wherein, X^3 and X^4 , the same or different, represent a hydrogen atom, a halogen atom or an alkoxyl group having 1 to 4 carbon atoms; and R^4 and R^5 , the same or different, represent an alkyl group having 1 to 4 carbon atoms] are used in combination.

- 4. A packing material for liquid chromatography produced by the method according to any one of claims 1 to 3.
- 5. A column for liquid chromatography packed with a packing material for liquid chromatography according to claim 4.

- 6. A method of the analysis or a method of the fractionation of a compound wherein the column for liquid chromatography according to claim 5 is used.
- 7. The method of the analysis or the method of the fractionation of a compound according to claim 6 wherein the compound according to claim 6 is a peptide or a protein included in a biological sample.